

Hypothesis:

Breast cancer as a possible complication of some types of COVID.19 Vaccines:

Mosab Nouraldein Mohammed Hamad^{1, 2*}

- 1. Medical Parasitology Phylum , Medical Laboratory Science
Department, Faculty of Health Science, Elsheikh Abdallah Elbadri
University , Berber, Sudan**
- 2. Head of Research Unit, Banoon Fertility Center, Khartoum, Sudan**

Correspondence:

Mr. Mosab Nouraldein Mohammed Hamad, Email:

musab.noor13@gmail.com

Mobile NO: +249929194137

Abstract:

Quick development of COVID.19 vaccines, trigger a big question about validity of clinical trials conducted on it. We observed several short-term consequences of this artificial method of immunization, but no one knows the long-term outcomes of it, I regarded that exogenous estrogen constituent of it as probable cause of breast cancer, specifically among older women.

Keywords: breast cancer, long-term consequences of COVID.19 vaccines, Estradiol

Hypothesis:

Some types of COVID.19 contain exogenous estrogen [1], may lead to stimulation of proinflammatory cytokines, specifically interleukin-6, tissue injury, aggregation of platelets and activation of thrombin and coagulation cascade, with the presence of inactivated factor XI, in some kinds of COVID .19 artificial immunization method, increase the jeopardy of thromboembolism (TE), further more presence these hormone increase the risk of development of breast cancer and enhance the invasiveness of it in patients of this type of cancer.

Michael P. Osborne et al said that; Upregulation of Estradiol C16 α -hydroxylation in Human Breast Tissue: a Possible Biomarker of Breast Cancer Risk [2]. Jane E. Cauley et .al said that; Estradiol levels may play important roles in development of breast cancer in older women [3].

Conclusion:

Unfortunately insufficient clinical trials of coronavirus vaccines lead to exposure of a number of people to severe complications and they may lose their life unless professional medical intervention exist.

Development of breast cancer is a one of the long-term influence of certain types of COVID.19 Vaccines as a result of its estradiol inside it.

References:

1. Mosab Nouraldein Mohammed Hamad; Estradiol Component of Certain COVID.19 Vaccines Rising D.dimer Concentration, DOI: [10.13140/RG.2.2.26381.26080](https://doi.org/10.13140/RG.2.2.26381.26080)
2. Michael P. Osborne, H. Leon Bradlow, George Y. C. Wong, Nitin T. Telang, Upregulation of Estradiol C16 α -hydroxylation in Human Breast Tissue: a Potential Biomarker of Breast Cancer Risk, JNCI: Journal of the National Cancer Institute, Volume 85, Issue 23, 1 December 1993, Pages 1917–1920, <https://doi.org/10.1093/jnci/85.23.1917>.
3. Jane A. Cauley, Frances L. Lucas, Lewis H. Kuller, et al. [Elevated Serum Estradiol and Testosterone Concentrations Are Associated with a High Risk for Breast Cancer](#). Ann Intern Med.1999;130:270-277. [Epub ahead of print 16 February 1999]. doi:[10.7326/0003-4819-130-4 Part 1-199902160-00004](https://doi.org/10.7326/0003-4819-130-4_Part_1-199902160-00004).