

Table (4-13): Distribution of study group according to the campaign you follow Atbara




Table (4-14): Distribution of study group according to the receive any information about the care of pregnant women from

do you receive any information about the care of pregnant women from	Frequency	Percent
Radio	14	14.0
T. v	54	54.0
Web	22	22.0
Another	10	10.0
Total	100	100.0

Table (4-15): Distribution of study group according to the satisfied with the care services for women at the hospital in Atbara




Table (4-16): Distribution of study group according to the suggest a health care system for appointments of the ministry of health for the dates of visits or medical follow- up?

Do you suggest a health care system for appointments of the ministry of health for the dates of visits or medical follow- up?	Frequency	Percent
Yes	93	93.0
No	7	7.0
Total	100	100.0

Chapter [5]

Dissection

Chapter [5]

Dissection

After conducting the field study through the analysis of the questionnaire, the study reached many results that achieve the objectives of the study.

5.1 Results

- After analyzing the questionnaire, the study reached many results:
- The majority of the sample of the study ranged from 20-25 years, some of them in the age group 25-30 years.
- we find that the majority of mothers housewives 59%, some employees by 26% and a few others by 15%.
- Mostly from the city of Atbara (75%) and a small number (25%) from Atbara.
- The majority of mothers have a higher education level of 49%, followed by the university education level by 29% and the lowest educational level by 8%.
- The highest period in the period 13-26 with 39% followed by the period 0-13 by 36% and the lowest range was 27-42 by 25%.
- The majority of mothers have a health card (96%) and do not own a health card (4%).
- The highest percentage was in the vaccination was 70% followed by personal care by 19%.
- Blood pressure was highest in 58% followed by urine tests (27%) and lowest hemoglobin detection (7%).
- The majority of mothers find problems during follow-ups by 69%, and few of them do not discover problems during follow-ups at 31%.
- The majority of mothers take folic acid with 49% followed by phenol by 37%, and finally take another 14%.

- Most mothers responded to all questions about pregnancy by 90% and a few of them by 10%.
- Most of the mothers followed 1-3 follow-ups by 46% followed by 2-5 follow-ups by 38% and the lowest number of follow-ups was more than 5 rebounds by 16%.
- Most of them will follow at Atbara Hospital by 63% and few will not follow Atbara Hospital by 37%.
- Most of the pregnant women receive information from television by 54%, followed by the internet by 22%.
- Most of the mothers believe that there is a 51% service and few of them see the hospital's lack of services at 49%.
- The Ministry of Health in terms of visits and medical follow-ups are the highest category, at 93%, while those who do not appear to recall the Ministry of Health follow-up care for visit dates were only 7% very important.

5-2 Recommendations

To study recommendation:

- We recommend mothers to the importance of medical interview.
- We recommend mothers to the importance of Health diet
- Avoid tight to clothing.

You should stay away from:

- Reduced the effort.
- Stay away from place that smelled strong.
- When feeling movement of the fetus normally or feeling you in any fatigue or severe fatigue you should consult the doctor immediately

Reference

- [1] Current diagnosis and treatment obstetrics gynecology .
Publisher : ALAN H.DECHERNEY LAUREN NATHAN .
T. MURPHY GOODWIN
RERI LAUFER .
- [2] Alanh, Dechrney. Current Diagnosis and treatment obstetrics and Gynecology. New York : mc Grawtill Companies .Inc , 2007. (187-191).
- [3] Holmes. Debbie .Midwifery By Tenteachers /Debbie Holmes , Philip N Baker. London : Hodder Arnold publishers ltd , 2006. Pp(48-119)
- [3]. AbouZahr, M. A.(2004). Strategies for reducing maternal complications in in the tropics.International journal of reproductive health, 8(20), 68-88
- [4]. Adeyemi, A. A. (2005). Training Manual on Life Saving Skills for Nurse/Midwives. Published by Federal Ministry of Health/WHO
- [5]. Admola,M. C., Dosur, C. W. & Joseph, I. O. (2011). Assessment of maternal mortality in in Nigeria. African journal of reproductive health, 4(22), 33-42
- [6]. Asika, N. (1991) Research Methodology in Behavioural Sciences. Lagos, Longman Nigeria Plc.
- [7]. Attah, B. E. (2000). Human Physiology.A Complete Text for Africa. Ibadan: University Press, Ibadan.
- [8]. Begum, F. &Bhryan, A. B. (2009). Antenatal Care Counseling Pamphlet and Emergency Obstetrics Care. Journal of South Asian Federation of Obstetric and Gynaecology. 1(1), 56-60.
- [9]. Birung, K., Ayut, M. &Suel, B. (2006).Factors Contributing to Maternal Death in Developing Countries.African Journal of Reproductive Health. 12(5) 14-19.
- [10]. Centre for Disease Control (2004). Maternal Mortality Trend.

- [11]. Chandhoik, N., Phillon, B. S., Kanbo, I., & Saxena, N. C. (2006) Determinants of Antenatal Care Utilisation in Rural Areas of India. *Journal of Obstetric and Gynaecology of India* 4(6) 19-22.
- [12]. Dada, H. U. (2008). Prevention of maternal mortality in developing countries. *Nigerian journal of obstetrics and gynaecology*. 4(8) 24-36
- [13]. Dafallah, S. E., El-Agib, F. H. & Bushra, G. O. (2003) Maternal Mortality in Teaching Hospital in Sudan. *Sudan Medical Journal* 24(4) 367-372.
- [14]. Dekkar, B. & Sabau, R. (2005) *Textbook of Obstetric and Gyanaecology for Medical Students and Allied Profession*. London, ELBS Publishers.
- [15]. Denneux, G. L., Gobbel, D. R. & Harrison, B. V. (2005). Trends in maternal mortality and prevention. *British journal of health sciences*, 2(4), 23-30
- [16]. Federal Ministry of Health (2008) *Policy and Strategy to Achieve Quality Reproductive and Sexual Health for All Nigerians*. Abuja.
- [17]. Frazer, I. and Cooper, B. (2003) *Antenatal Care in Developing Countries Achievements and Missed Opportunities: An Analysis of Trends, Levels and Differentials, 1990-2001*. Geneva.
- [18]. Goodrum, C. (2001) Underreporting of Pregnancy Related Mortality in the United States and Europe. *Journal of Obstetric and Gyanaecology*. 106(4), 604-692. Retrieved from www.immpact-international.org on 12th December, 2010.
- [19]. Guyton, A. C. (2006). *Textbook of Medical Physiology (12th ed)* California, USA Sunders Publishers



Appendix

Elshaikh Abdallah Elbadri University
Health Sciences Faculty
Department of Nursing



Assessment of Mother Satisfaction Regard Antenatal Care Services In Atbara Hospital (March- July2017)

1. Age of mother:

20-25 () 25-30 () 30-35 () More than35 ()

2. Occupation: Housewife () Employee () Another ()

3. Address:

in Atbara () outside of the Atbara ()

4. Education level: primary () secondary ()

university () above university ()

5. Gestational age:

0-13 () 13-26 () 27-42 ()

6. do you have a card or a card health? yes () No ()

6. have you made a tip for doctors or medical staff about?

Diet () Vaccination ()

Personal Hygiene () Delivery ()

7. did you these tests in stores? abd examination () Blood pressure ()

urine tests () Hb ()

do you mind discover one of health problems during the follow- ups?

yes () No ()

did you use any medicines during your pregnancy or the months first?

Folic Acid () FeFol () Another ()

do to mind to answer all question about your pregnancy?

yes () No ()

The number of follow- ups in the hospital Atbara

1-3 () 3-5 () 5-above ()

if you campaign you follow Atbara ? yes () No ()

do you receive any information about the care of pregnant women from?

Radio () T. V () Web () Another ()

Are you satisfied with the care services for women at the hospital in Atbara

yes () No ()

Do you suggest a health care system for appointments of the ministry of health

for the dates of visits or medical follow- up? yes () No ()



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ
جامعة الشيخ عبد الله البدري
كلية العلوم الصحية - قسم التمريض
استبيان عن



مدى رضى الأمهات عن الخدمات الصحية المقدمة لهن في مستشفى عطبرة التعليمي

1. العمر:
2. العمل:
3. السكن: داخل عطبرة () خارج عطبرة ()
4. ما هو أعلى مستوى تعليمي وصله إليه؟
أمي () ابتدائي () ثانوي () جامعي ()
5. فترة الحمل: 0-13 اسبوع () 13-26 أسبوع () 26-42 أسبوع ()
6. هل لديك بطاقة أو كرت صحي؟ نعم () لا ()
7. هل قدمت لكي نصائح من الأطباء أو الكوادر الصحية عن؟
النظام الغذائي () التطعيم () العناية الشخصية () الولادة ()
8. هل أجرى لك هذه الفحوصات في المتابعة؟
كشف بطني () قياس ضغط () فحص بول ()
قياس الهيموقلوبين () الموجات الصوتية ()
9. هل تم اكتشاف أحد المشاكل الصحية أثناء المتابعات؟ نعم () لا ()
10. هل استخدمت أي من الأدوية خلال فترة حملك أو الشهور الأولى؟
فوليك أسيد () فيفول () أخرى ()
11. هل تم الإجابة عن جميع الأسئلة بخصوص حملك؟ نعم () لا ()
12. عدد المتابعات في مستشفى عطبرة:
1-3 مرات () 3-5 مرات () أكثر من 5 مرات ()
13. إذا حدث لك حمل هل تتابعين في مستشفى عطبرة: نعم () لا ()
14. هل تتلقين أي معلومات عن العناية بالحوامل من؟
الراديو () التلفزيون () النت () أخرى ()
15. هل أنت راضية عن خدمات الرعاية للحوامل في مستشفى عطبرة؟
نعم () لا ()

