

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/365342450>

# Biological activities: antiinflammatory, antihyperlipidemic, and antimicrobial of black cumin seeds

Chapter · January 2023

DOI: 10.1016/B978-0-323-90788-0.00007-X

---

CITATIONS

0

READS

27

1 author:



Mosab Nouraldein Mohammed Hamad  
Elsheikh Abdallah Elbadri University

566 PUBLICATIONS 171 CITATIONS

SEE PROFILE

# Biological activities: antiinflammatory, antihyperlipidemic, and antimicrobial of black cumin seeds

Mosab Nouraldein Mohammed Hamad

Faculty of Health Sciences, Elsheikh Abdallah Elbadri University, Berber, Sudan

## 10.1 Introduction

Black cumin is a well-known folk medicine in several parts of the world. It has enriched history and beliefs as an effective medicinal plant (Kulyar et al., 2021). And Muslims consider it to be a cure-all for all diseases (Al-Bukhari).

## 10.2 Chemical composition

Black cumin holds many useful proteins, carbohydrates, minerals, vitamins, and oils. The percentage of those vital elements depends on agricultural method, harvest period, and the geographical area. Its extracted oil has both the characteristics of fixed and volatile oil, and the fixed oil contains unsaturated fatty acids and slightly saturated fatty acids, counting A and E vitamins. In black seeds, minerals such as potassium, calcium, and iron are present in large proportions, while zinc, magnesium, manganese, selenium, and copper are present in lesser amounts. Furthermore, vital oil extract from black cumin is of useful significance owing to its wealthy volatiles, such as 18.4%–24% *thymoquinone* (TQ), 46.1% *monoterpenes* counting p-cymene, -pinene, thymol, dithymoquinone, nigellone, and thymohydroquinone (Black Cumin, 2016).

### 10.3 Biological activities

It showed antioxidant, antiinflammatory, antihypertensive, antibacterial, antiviral, antiparasitic, antifungal, antianxiety, antiulcer, anticancer, hypoglycaemic activity, hepatoprotective, immunomodulatory, and muscle relaxant properties. Furthermore, it improves immunity in patients with compromised immune systems (Forouzanfar et al., 2014; Padhye et al., 2008). The bulk of the curative characteristics of this medicinal plant are owing to the existence of TQ, which is a chief bioactive part of the vital oil (Beheshti et al., 2016). Kolahdooz et al. (2014) discovered that black cummin oil remedy significantly improved sperm count, motility, morphology, sperm volume, and pH.

Black cummin oil is used by Persians and Indians to increase milk production in nursing mothers (Drugs and, 2006). On the other hand, women throughout the globe choose to use herbal sources as milk production stimulators, since herbal medicines are supposed to be safe and easily accessible in the local market (*Nigella sativa*, 2020). Antimicrobial resistance and the high cost of manufacturing of synthetic medicines increase attention to alternative herbs as they possess the capability to kill microbes and maintain and enhance microbial flora (Adegbeye et al., 2020).

### 10.4 Antiinflammatory activity

Black cummin oil has been found to show strong antiinflammatory influences on many inflammation-based models through the inhibition of prostaglandins and leukotrienes (Shabana et al., 2013). Its supplementation is used to improve the clinical and inflammatory parameters of asthma, such as pulmonary function tests, eosinophil count, and total serum immunoglobulin E. Furthermore, its oil promotes interferon-/interleukin-4 balance, acts in children with asthma, and inhibits histamine release from mast cells (Ikhsan et al., 2018). Activities of black cummin oil are attributed to its ability to suppress *eicosanoid* production in leukocytes by TQ and the fixed oil of it, by suppressing both cyclooxygenase and 5-lipoxygenase. Black cummin shows an inhibitory influence on nitric oxide release by macrophages, and TQ inhibits the action of histone deacetylase and improves inflammation-associated cancer (Chehl et al., 2009).



## 10.5 Antihyperlipidemic properties

Black cumin seeds, chiefly TQ, act as a lowering agent for cholesterol, triglycerides, and low-density lipoprotein, and they raise high-density lipoprotein. The elevated content of polyunsaturated fatty acids of the black seed synergized the hypolipidemic activity of TQ (Shabana et al., 2013).



## 10.6 Antimicrobial properties

Antimicrobial properties of black cumin seeds have been found to be effective against a variety of pathogenic bacteria, viruses, parasites, and fungi (Forouzanfar et al., 2014).

### 10.6.1 Antibacterial activities

Black cumin serves as a strong antibacterial agent against numerous bacterial strains such as *Escherichia coli* and *Pseudomonas aeruginosa*. Aside from its usefulness in combating antibiotic resistance (e.g., suppressing the growth of methicillin-resistant *Staphylococcus aureus*) (Shabana et al., 2013). Its usage is recommended in the food industry in order to prevent spoilage. TQ components of black cumin inhibit a wide range of gram-negative and gram-positive bacteria.

### 10.6.2 Antifungal properties

A reasonable inhibitory effect of black cumin seed and oil was observed against several pathogenic fungi such as *Candida albicans*, dermatophytes, non-dermatophytes, and some aflatoxin-producing fungi (Abdallah, 2017).

### 10.6.3 Antiparasitic properties

Black cumin acts actively against numerous parasitic infections and serves as an antileishmanial, anticestodal, antinematodal, and antischistosomal. Also, it has effective antioxidant properties and might be a good phytotherapeutic agent against malaria parasite infection (Mahmoudv et al., 2015).

### 10.6.4 Antiviral properties

The limited effectiveness of synthetic antiviral medicines guides people to search for other accessible, cheap herbal remedies like black cumin, which shows antiviral activity against influenza virus (H9N2), infectious laryngotracheitis virus, hepatitis C virus, human immunodeficiency virus, and severe acute respiratory syndrome virus (SARS-COV-2) (Abdallah, 2017).



## 10.7 Conclusion

Black cumin represents a promising medicinal plant owing to its biological actions against pathological conditions (inflammation, hyperlipidemia) and pathogens (bacteria, viruses, fungi, parasites), which inhibit the growth of antimicrobial-resistant bacteria, are economical and accessible, and have no limited shelf life as synthetic remedies. Furthermore, it improves male fertility.

## References

- Abdallah, E.M., November 2017. A mini-review of black seed (*Nigella sativa*) as an antimicrobial drug. *Appropriate Drug Development and Development* 3 (2), 555603.
- Adegbeye, M.J., Elghandour, M.M., Faniyi, T.O., Rivero Perez, N., Barbabosa-Pilego, A., Zaragoza-Bastida, A., Salem, A.Z., August 2020. Black cumin, pawpaw, and mustard seeds have antimicrobial and antihelminthic impacts on livestock production and health. *Agroforestry Systems* 94 (4), 1255–1268.
- Al-Bukhari, S. *Sahih Al-Bukhari* 5687, Book 76, Hadith 10. Online at <https://sunnah.com/bukhari/76>.
- Beheshti, F., Khazaei, M., Hosseini, M., 2016. Neuropharmacological effects of *Nigella sativa*. *Avicenna's Journal of Phytomedicine* 6 (1), 104–116. PMID: PMC4884225; PMID: 27247928.
- Black cumin (*Nigella sativa*) and its active constituent, thymoquinone: an overview of the analgesic and anti-inflammatory effects. *Planta Med* 82 (1–2), January 2016, 8–16. <https://doi.org/10.1055/s-0035-1557838>. PMID: 26366755. Published on September 14, 2015.
- Cehl, N., Chipitsyna, G., Gong, Q., Yeo, C.J., Arafat, H.A., 2009. Anti-inflammatory effects of *Nigella sativa* seed extract, thymoquinone, on pancreatic cancer cells. *HPB (Oxford)*. <https://doi.org/10.1111/j.1477-2574.2009.00059.x>. PMID: PMC2742606; PMID: 19768141.
- Cumin. [Revised on November 15, 2021] *Drugs and Lactation Database (LactMed)* [Internet], 2006. National Library of Medicine (US), Bethesda (MD). Accessible at: <https://www.ncbi.nlm.nih.gov/books/NBK501873/>.
- Forouzanfar, F., Bazzaz, B.S., Hosseinzadeh, H., December 2014. Antimicrobial effects of black cumin (*Nigella sativa*) and its constituent (thymoquinone). *Iranian Journal of Basic Medical Sciences* 17 (12), 929–938. PMID: PMC4387228; PMID: 25859296.
- Ikhsan, M., Hidayati, N., Maeyama, K., Nurwidya, F., December 2018. *Nigella sativa* as an anti-inflammatory agent in asthma. *BMC Research Notes* 11 (1), 1–5.
- Kolahdooz, M., Nasri, S., Modarres, S., Kianbakht, S., Huseini, H.F., May 15, 2014. A randomized, double-blind, placebo-controlled clinical trial of *Nigella sativa* L. seed oil on abnormal sperm quality in infertile men. *Phytomedicine* 21 (6), 901–905. <https://doi.org/10.1016/j.phymed.2014.02.006>. Epub 2014 Mar 25. PMID: 24680621.
- Kulyar, M.F., Li, R., Mehmood, K., Waqas, M., Li, K., Li, J., May 2021. A chance to slow the COVID-19 pandemic. Epub 2020 Jul 10. *Phytomedicine* 85, 153277. <https://doi.org/10.1016/j.phymed.2020.153277>. PMID: PMC7347483; PMID: 32773257.
- Mahmoudv, H., Tavakoli, R., Sharififar, F., Minaie, K., Ezatpour, B., Jahanbakht, S., Sharifi, I., 2015. Leishmanicidal and cytotoxic activities of *Nigella sativa* and its active principle, thymoquinone. *Pharmaceutical Biology* 53 (7), 1052–1057.

- Nigella sativa* as a galactagogue: a systematic review, Aini Farzana Zulkefli, ruszymah BT HJ Idrus, and Adila A Hamid. *Sains Malaysiana* 49 (7), 2020, 1719–1727. <https://doi.org/10.17576/jsm-2020-4907-22>.
- Padhye, S., Banerjee, S., Ahmad, A., Mohammad, R., Sarkar, F.H., 2008. From Here to Eternity, the Secret of the Pharaohs: The Therapeutic Potential of Black Cumin Seeds Goes beyond. *Cancer Ther* 6 (b), 495. PMCID: PMC2583426; PMID: 19018291.
- Shabana, A., El-Menyar, A., Asim, M., Al-Azzeh, H., Al-Thani, H., March 2013. Black cumin (*Nigella sativa*) has cardiovascular benefits. PMID: 22911452. *Cardiovasc Toxicol* 13 (1), 9–21. <https://doi.org/10.1007/s12012-012-9181-z>.

This page intentionally left blank